Index to Volume XV

Author Index

ABBOTT, DONALD P.:
The Ascidians of Point Barrow, Alaska, Part I. Suborder Phlebobranchia (Enterogona), 137–143

ALVARIÑO, ANGELES:
Two New Chaetognaths from the Pacific, 67–77

ALVERSON, FRANKLIN G.:
Daylight Surface Occurrence of Myctophid Fishes Off the Coast of Central America, 483

ARMITAGE, KENNETH B.:
Studies of the Biology of *Polychoerus carmelensis* (Turbellaria: Acoela), 203–210

BERGMAN, R. A.:
The Anatomy of *Coluber radiatus* and *Coluber melanurus*, 144–154

BERGQUIST, PATRICIA R.:
A Collection of Porifera from Northern New Zealand, with Descriptions of Seventeen New Species, 33–48

BIERI, ROBERT:
Post-larval Food of the Pelagic Coelenterate, *Velella lata*, 553–556

BROWNLIE, G.:
Studies on Pacific Ferns.
Part III. The Lindsaeoid Ferns, 64–66
Part IV. The Pteridophyte Flora of Pitcairn Island, 297–300

CHAKRAVARTI, DIPTIMAN AND RONALD EISLER:
Strontium-90 and Gross Beta Activity in the Fat and Nonfat Fractions of the Liver of the Coconut Crab (*Birgus latro*) Collected at Rongelap Atoll during March 1958, 155–159

CHAPMAN, V. J.:
A Contribution to the Ecology of the Kermadec Islands, 347–351

COOKE, WILLIAM BRIDGE:
Fungi from Raroia in the Tuamotu Archipelago, 186–18[illegible]

DAWSON, E. YALE:
A Guide to the Literature and Distributions of Pacific Benthic Algae from Alaska to the Galapagos Islands, 370–461

DOTY, MAXWELL S.:
Acanthophora, a Possible Invader of the Marine Flora of Hawaii, 547–552

DOTY, MAXWELL S., AND ISABELLA A. ABBOTT:
Studies on the Helminthocladiaceae (Rhodophyta): *Helminthocladia*, 56–63

DUMBLETON, L. J.:
The Aleyrodidae (Hemiptera-Homoptera) of New Caledonia, 114–136

GREY, MARION:
Fishes Killed by the 1950 Eruption of Mauna Loa, Part V. Gonostomatidae, 462–476

FLORA, CHARLES J.:
The Species Commonality Index: A Method for Comparing Habitats, 307–308

HARTMAN, OLGA:
New Pogonophora from the Eastern Pacific Ocean, 542–546

HILL, PETER J. R., AND BENJAMIN C. STONE:
The Vegetation of Yanagi Islet, Truk, Caroline Islands, 561–562

HOBSON, E. S., F. MAUTIN, AND E. S. REEVE:
Two Shark Incidents at Eniwetok Atoll, Marshall Islands, 605–609

JAMESON, E. W., JR.:
Relationships of the Red-backed Voles of Japan, 594–604

JOHNSON, MARTIN W.:
On Zooplankton of Some Arctic Coastal Lagoons of Northwestern Alaska, with Description of a New Species of *Eurytemora*, 311–323

KANEHIRO, YOSHINORI, AND LYNN D. WHITTIG:
Amorphous Mineral Colloids of Soils of the Pacific Region and Adjacent Areas, 477–482

KAY, ALISON:
A New Opisthobranch Mollusc from Hawaii, 112–113

KING, JUDITH E., AND R. J. HARRISON:
Some Notes on the Hawaiian Monk Seal, 282–293

KLAWE, W. L.:
Notes on Larvae, Juveniles, and Spawning of Bonito (*Sarda*) from the Eastern Pacific Ocean, 487–493

KOHN, ALAN J.:
Studies in Spawning Behavior, Egg Masses, and Larval Development in the Gastropod Genus *Conus*, Part I. Observations on Nine Species in Hawaii, 163–179

DE LAUBENFELS, M. W.:
Porifera of Friday Harbor and Vicinity, 192–202

MACDONALD, GORDON A., AND TAKASHI KATSURA:
Variations in the Lava of the 1959 Eruption in Kilauea Iki, 358–369

MARTIN, W. E.:
Life Cycle of *Mesostephanus appendiculatus* (Ciurea, 1916) Lutz, 1935 (Trematoda: Cyathocotylidae), 278–281

PLUCKNETT, D. L., AND B. C. STONE:
The Principal Weedy Melastomaceae in Hawaii, 301–303

NOFFSINGER, T. L.:
Leaf and Air Temperature under Hawaiian Conditions, 304–306

RANDALL, JOHN E.:
A Contribution to the Biology of the Convict Surgeonfish of the Hawaiian Islands, *Acanthurus triostegus sandvicensis*, 215–272

REISH, DONALD J.:
A New Species of *Micronereis* (Annelida, Polychaeta) from the Marshall Islands, 273–277

ROE, SISTER MARGARET JAMES:
A Taxonomic Study of the Indigenous Hawaiian Species of the Genus *Hibiscus*, 3–32

SAKAGAMI, SHOICHI F.:
An Ecological Perspective of Marcus Island, with Special Reference to Land Animals, 82–104

SCAGEL, ROBERT F.:
The Distribution of Certain Benthonic Algae in Queen Charlotte Strait, British Columbia, in Relation to Some Environmental Factors, 494–539

SCHAFER, RITA D.:
Effects of Pollution on the Free Amino Acid Content of Two Marine Invertebrates, 49–55

ST. JOHN, HAROLD:
Revision of the Genus *Pandanus* Stickman.
Part 2. *Pandanus* in Western Australia and Notes on the Section *Foullioya*, 180–185
Part 3. A New Species from Oeno Island, Tuamotu Archipelago, 324–326
Part 4. Disposition of Some Later Homonyms, 327
Part 5. *Pandanus* of the Maldive Islands and the Seychelles Islands, Indian Ocean, 328–346
Part 6. New *Pandanus* Species from Queensland, Australia, 563–575
Part 7. New Species from Borneo, Papua, and the Solomon Islands, 576–590

STONE, BENJAMIN C.:
Pandanus pistillaris in the Caroline Islands: An Example of Long-range Oceanic Dispersal, 610–613

SUND, PAUL N.:
Two New Species of Chaetognatha from the Waters off Peru, 105–111

UCHIDA, RICHARD N.:
Hermaphroditic Skipjack, 294–296

WATSON, J. S.:
Feral Rabbit Populations on Pacific Islands, 591–593

WELLS, JOHN W.:
Notes on Indo-Pacific Scleractinian Corals, Part 3. A New Reef Coral from New Caledonia, 189–191

WENTWORTH, C. K., H. A. POWERS, AND J. P. EATON:
Feasibility of a Lava-diverting Barrier at Hilo, Hawaii, 352–357

WINKLER, LINDSAY R.:
Preliminary Tests of the Toxin Extracted from California Sea Hares of the Genus *Aplysia*, 211–214

WINKLER, LINDSAY R., AND BERNARD E. TILTON:
Interspecific Differences in the Reaction to Atropine and in the Histology of the Esophagi of the Common California Sea Hares of the Genus *Aplysia*, 557–560

WOODLAND, D. J.:
Description of a New Species of *Pranesus* (Atherinidae: Pisces) from the Capricorn Group, Great Barrier Reef, 540–541

WOODWICK, KEITH H.:
Polydora rickettsi, a New Species of Spionid Polychaete from Lower California, 78–81

Subject Index

Aaptos aaptos, 44
Acanthophora spicifera, 547–551
Acanthurus triostegus sandvicensis, 215–272
Adiantum hispidulum, 298
Adocia parietaloides, n. sp., 37
venustina, n. sp., 37
Aleurocanthus brevispinosus, n. sp., 115–116
multispinosus, n. sp., 116–118
nudus, n. sp., 118
spinothorax, n. sp., 118–120
Aleyrodidae of New Caledonia, 114–136
algae, benthic, of Pacific, guide to literature of, 370–561
algae, benthonic, in Queen Charlotte Strait, 494–539
amino acid content of two marine invertebrates, 49–55
Angiopteris chauliodonta, 297
Anthostomella sp., 186
Aplysia californica, 211–214; 557–560
vaccaria, 211–214; 557–560
Araiophos, n. gen., 463–465
gracilis, n. sp., 465–467
Argyripnus atlanticus, 468–470
ephippiatus, 471
irridescens, 473
sp., 473
Arthressa evansi, n. sp., 112–113
Arthrostemma latifolium, 301, 303
Ascidia callosa, 137–139
ascidians of Alaska, 137–143
Asplenium nidus, 299
obtusatum, 299
Athyrium polyanthes, 299
atropine, effect of, upon *Aplysia* spp., 557–560
Auricularia mesenterica, 186
Axiamnon erecta, 41

Bantamia merleti, n. sp., 189–191
Bemisia cordylinidis, n. sp., 120–121
Benthosema pterota, 483
beta activity in coconut crab, 155–159
Biemna rhabderemioides, n. sp., 40
Birgus latro, 155–158
bonito, notes on larvae, juveniles, and spawning, 487–493
Borneo, new species of *Pandanus* from, 576–590
Burtonanchora lacunosa, 195–197

Callyspongia ramosa, 36
Carcharhinus menisorrah, 605–609
Centropages abdominalis, 317
Cerithidea californica, 278–281
Chelysoma inaequale, 140–142
macleayanum, 139–140
Choanites suherea var. *lata*, 201
Clethrionomys, 595–597
andersoni, 599
imaizumii, n. sp., 599–600
niigatae, 599
rufocanus bedfordiae, 597
rutilus mikado, 600
Clidemia hirta, 301, 303
Cliona celata, 44, 201
muscoides, 44
Coluber melanurus, 152–154
radiatus, 144–152
Conus abbreviatus, 164–166
catus, 166–169
imperialis, 169
leopardus, 169–170
lividus, 170–171
pennaceus, 171–173
quercinus, 173–174
rattus, 174–175
vitulinus, 175–176
corals, scleractinian, from Indo-Pacific, 189–191
Corticella novae-zealandiae, n. sp., 45
Cyathea cumingii, 298
Cyclosorus parasiticus, 299
Cyclothone sp., 463

Danaphos oculatus, 467–468
Davallia solida, 298
Dialeurodes dothioensis, n. sp., 121–122
dumbeaensis, n. sp., 122–123
psychotriae, n. sp., 123–124
Dicranopteris linearis, 297
Doodia media, 299
Dothioia, n. gen., 124
bidentatus, n. sp., 124–126
Dysidea cristagalli, n. sp., 33

Ectyodoryx parasitica, 197
Eniwetok Atoll, shark incidents at, 605–609
Eurytemora foveola, n. sp., 317–321
pacifica, 317
Euthenomys kageus, 601
smithi, 600–601

Foullioya, 184–185

Galaxea fascicularis, 191
Gomenella, n. gen., 126
multipora, n. sp., 126–127
reflexa, n. sp., 127–129
Gonostoma atlanticum, 462–463
Great Barrier Reef, new *Pranesus* from, 540–541

Halichondria moorei, n. sp., 40
panicea, 41
Haliclona clathrata, 35
glabra, n. sp., 35
heterofibrosa, 35
isodictyale, n. sp., 34
permollis, 193–194
petrosioides, 36
tenacior, n. sp., 34
Haliotis cracherodii, 49–55
Hawaiian monk seal, 282–293
Helicomyces roseus, 187
Helicosporium lumbricoides, 187
Helix aspersa, 211–214
Helminthocladia rhizoidea, n. sp., 60–63
simplex, n. sp., 56–60
Heterocentron subtriplinervium, 301, 303
Hibiscus, taxonomic study of indigenous Hawaiian species, 3–32
Hibiscus Arnottianus, 26–30
f. *parviflora*, 30–31
f. *punaluuensis*, 31
Brackenridgei, 9–11
var. *kauaiana*, 12
var. *mokuleiana*, n. var., 12–13
var. *molokaiana*, 11–12
immaculatus, n. sp., 22–24
kahili, 21
Kokio, 14–17
var. *pukoonis*, 17–18
Newhousei, n. sp., 22
Saintjohnianus, n. sp., 18–21
waimeae, 24–26
Youngianus, 6–8
Hymeniacidon perlevis, 41
Hypoxylon chrysoconium, 186
investiens, 186

Iophon chelifer californiana, 198
Ircinia novae zealandiae, n. sp., 33
Isociella incrustans, n. sp., 42

Japan, red-backed voles of, 594–604

Katsuwonus pelamis, 294–296
Kermadec Islands, ecology of, 347–351
Kilauea Iki, eruption of 1959, 358–369

lava-diverting barrier, feasibility of, 352–357
Leucopogonella, n. gen., 129
apectenata, n. sp., 129–130
pallida, n. sp., 130–131

simila, n. sp., 131–132
sinuata, n. sp., 132
Leucosolenia nautilia, 192
Limnocalanus grimaldi, 316–317
johanseni, 317
Lindsaea dimorpha, 64
lapeyrousii, 64
nervosa, 65
Lissodendorynx firma, 194–195
noxiosa, 195
Loxoscaphe gibberosum, 299

Maldive Islands, *Pandanus* of, 328–346
Marcus Island, ecological perspective of, 82–104
Medinilla magnifica, 301
Melastoma decemfidum, 301–303
malabathricum, 301–303
Mesostephanus appendiculatus, 278–281
Microciona coccinea, n. sp., 38
heterospiculata, 38
rubens, n. sp., 38
Micronereis eniwetokensis, n. sp., 273–277
Monachus schauinslandi, 282–293
Mycale adhaerens, 198–199
rara, 39
myctyophid fishes, daylight surface occurrence of, 483

Nephrolepis biserrata, 298
hirsutula, 298
new combination:
Phymatodes pitcairnense, 300
Schizoloma prolongata, 65
new genus:
Araiophos, 463–465
Dothioia, 124
Gomenella, 126
Leucopogonella, 129
new name:
Pandanus glauciferus, 327
New species:
Adocia parietalioides, 37
venustina, 37
Aleurocanthus brevispinosus, 115–116
multispinosus, 116–118
nudus, 118
spinithorax, 118–120
Araiophos gracilis, 465–467
Arthressa evansi, 112–113
Bantamia merleti, 189–191
Bemisia cordylinidis, 120–121
Biemna rhabderemioides, 40
Clethrionomys imaizumii, 599–600
Corticella novae-zealandiae, 45
Dialeurodes dothioensis, 121–122
dumbeaensis, 122–123
psychotriae, 123–124
Dysidea cristagalli, 33
Eurytemora foveola, 317–321
Gomenella multipora, 126–127
reflexa, 127–129
Halichondria moorei, 40
Haliclona glabra, 35
isodictyale, 34
tenacior, 34
Helminthocladia rhizoidea, 60-63
simplex, 56–60
Hibiscus immaculatus, 22–24
Newbousei, 22
Saintjohnianus, 18–21
Ircinia novae zealandiae, 33
Isociella incrustans, 42
Leucopogonella apectenata, 129–130
pallida, 130-131
simila, 131-132
sinuata, 132
Microciona coccinea, 38
rubens, 38
Micronereis eniwetokensis, 273–277
Orchamoplatus perdentatus, 133–134
Pandanus adduensis, 328–331
Andersonii, 576–579
convexus, 180–182
feruliferus, 324–326
Fosbergii, 331–333
fruticosus, 579
Hartmanii, 333–335
Karikayo, 335–339
kimberleyanus, 182–184
magnicavernosus, 587–590
maldivicus, 339–341
oblatus, 569–570
ruber, 579–583
somersetensis, 570–573
sphaericus, 563–565
truncatus, 573–575
yuleensis, 583–587
Parabemisia reticulata, 134–135
Phorbas intermedia, 36
Polydora rickettsi, 78–81
Polymastia fusca, 43
Pranesus capricornus, 540–541
Rhabderemia stellata, 41
Sagitta bierii, 67–71
euneritica, 72–76
peruviana, 105–108
popovicii, 108
Siboglinum veleronis, 542–546
Stylissa stipitata, 199–200
Suberites cupuloides, 42
Syringella amphispicula, 200
Tetraleurodes submarginata, 135–136
new variety:
Hibiscus Brackenridgei var. *mokuleiana*, 12–13

oceanic dispersal of *Pandanus pistillaris*, 610–613
Oidium curtisii, 187
Ophlitaspongia pennata, 198
Orchamoplatus perdentatus, n. sp., 133–134
Oryctolagus cuniculus, 591–593
Oxyspora paniculata, 301

Pachygrapsus crassipes, 49–55
Pandanus adduensis, n. sp., 328–331
Andersonii, n. sp., 576–579
Balfourii, 341
compressus, 327
convexus, n. sp., 182–184
ferromontanus, n. sp., 565–569
feruliferus, n. sp., 324–326
Fosbergii, n. sp., 331–333
fruticosus, n. sp., 579
glauciferus, nom. nov., 327
Hartmanii, n. sp., 333–335
Hornei, 341–345
Karikayo, n. sp., 335–339
kimberleyanus, n. sp., 180–182
magnicavernosus, n. sp., 587–590
maldivecus, n. sp., 339–341
multispicatus, 346
oblatus, n. sp., 569–570
pistillaris, 610–613
ruber, n. sp., 579–583
sechellarum, 346
somersetensis, n. sp., 570–573
sphaericus, n. sp., 563–565
truncatus, n. sp., 573–575
yuleensis, n. sp., 583–587
Phorbas intermedia, n. sp., 36
Phymatodes pitcairnense, n. comb., 300
Pitcairn Island, pteridophyte flora of, 297–300
Plakina monolopha, 47
trilopha, 47
Polychoerus carmelensis, 203–210
Polydora rickettsi, n. sp., 78–81
Polymastia fusca, n. sp., 43
granulosa, 44
Porifera from northern New Zealand, 33–48
Pranesus capricornus, n. sp., 540–541
Psilotum nudum, 297
Pteridepis glomerata, 301, 303
Pyrrosia angustata, 299

Queen Charlotte Strait, benthonic algae in, 494–539
Queensland, Australia, new species of *Pandanus* from, 563–575

rabbits, feral, populations on Pacific Islands, 591–593
Rhabderemia stellata, n. sp., 41
Raroia, fungi from, 186–188
Rumohra aristata, 298

Sagitta bierii, n. sp., 67–71
euneritica, n. sp., 72–76
peruviana, n. sp., 105–108
popovicii, n. sp., 108
Sarda chiliensis, 487–493
orientalis, 487–493
Schizoloma prolongata, n. comb., 65
Schizophyllum commune, 187
Scypha raphana, 192–193
Seychelles Islands, *Pandanus* of, 328–346
shark incidents, at Eniwetok Atoll, 605–609
Siboglinum veleronis, n. sp., 542–546
Sigmadocia edapha, 194
soils, Pacific, and amorphous mineral colloids, 477–482
Solomon Islands, new species of *Pandanus* from, 576–590
species commonality index, 307–308
Sphenomeris chusana, 66
Spongia reticulata, 33
strontium-90 in coconut crab, 155–159
Stylissa stipitata, n. sp., 199–200
Suberites cupuloides, n. sp., 42
Syringella amphispicula, n. sp., 200

Tapeinidium flavicans, 65
Tedania fragilis, 197
Tetraleurodes submarginata, n. sp., 135–136
Tetrazygia bicolor, 301
Thelypteris uliginosa, 298
Tibouchina semidecandra, 301–303
Toxadocia toxophorus, 37
Trichomonas endlicherianum, 297–298

Velella lata, 553–556
Vittaria elongata, 300
voles, red-backed, of Japan, 594–604

Xestospongia vanilla, 194

Yanagi Islet, Truk, vegetation of, 561–562